



*Fabulous, functional, forever.*

**TIER CLASSIC RESIDENTIAL  
MATERIAL SAFETY DATA SHEET**

VERSION: 1.0 | 25/08/2023

A PRODUCT BY **EVA-LAST**  
INSPIRED BY NATURE. DESIGNED FOR LIFE.

# Anhui Sentai WPC TEC Flooring Co., Ltd.

## TEST REPORT

**SCOPE OF WORK**

SPC Flooring/rigid vinyl plank

**REPORT NUMBER**

190801008SHF-001

**TEST DATE(S)**

2019-08-01 - 2019-08-23

**ISSUE DATE**

2019-08-23


**PAGES**

18

**DOCUMENT CONTROL NUMBER**

LFT-APAC-SHF-OP-10k(May 1, 2019)

© 2019 INTERTEK



## Test Report

### Statement

- 1.This report is invalid without company's special seal for testing on assigned page.
- 2.This report is invalid without authorized person's signature.
- 3.This report is invalid where any unauthorized modification indicated.
- 4.Don't copy this report in partial (except full copy) without any official approval in written by our company. This report is invalid without re-stamping the special seal for testing in copying report.
- 5.Any holder of this document is advised that this report is for the exclusive use of Intertek's Customer and is provided pursuant to the agreement between Intertek and its Customer. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report was made with due care within the limitation of a defined scope of work and on the basis of information, materials and instructions received from the Customer or its nominated third parties. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. The tests results are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results.
- 6.Intertek's written consent is required to use Intertek's name or logo on the object, product or service being tested. The observations and test results in this report relate only to the sample under test. This report alone does not indicate that the item, product or service has passed any Intertek certification program.

# Test Report

Issue Date: 2019-08-23 Intertek Report No. 190801008SHF-001  
 Applicant: Anhui Sentai WPC TEC Flooring Co., Ltd.  
 Address: No.19, Guohua Rd., Guangde TED Zone, Guangde, Anhui, China  
 Attn: Jerry Liu  
 Test Type : Performance test, samples provided by the applicant.

### Product Information

<b>Product Name</b>	SPC Flooring/rigid vinyl plank		<b>Brand</b>	/
<b>Sample Description</b>	Good Condition		<b>Sample Amount</b>	56 Pieces
			<b>Received Date</b>	2019-08-14
<b>Sample ID</b>	<b>Model</b>	<b>Specification</b>		
S190801008SHF.013.018.019	SPC0335, 3.8/0.3mm	1220*181*3.8mm		

### Test Methods And Standards

<b>Test Standard</b>	EN 14041:2004/AC:2006 Annex B and EN 12673:1999, EN 14372:2004, EU REACH Regulation No 1907/2006 Article 33(1) Obligation to provide information of safe use
<b>Specification Standard</b>	/
<b>Test Conclusion</b>	The samples were tested according to the above standards, and the results are shown in the following page.

Note:

1.This report relates specifically to the sample(s) that were drawn and provided by the applicant or their nominated third party. The reported result(s) provide no warranty or verification on the sample(s) representing any specific goods and/or shipment and only relate to the sample(s) as received and tested.

### Report Authorized


  
 \_\_\_\_\_ Name: Flora Fan Title: Reviewer  
 \_\_\_\_\_ Name: Milo Liu Title: Project Engineer

# Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

## Test Items, Method and Results:

Test Item: Pentachlorophenol (PCP) content test

Test Method: With reference to EN 14041:2004/AC:2006 Annex B and EN 12673:1999, analysis was performed by GC-MS.

Test Item	Test Result (mg/kg)	Requirement (mg/kg)(Max.)
Pentachlorophenol (PCP)	ND	5

Remark:

1. Detection Limit = 0.5mg/kg
2. ND = Not Detected(less than the detection limit)
3. The requirement is cited from EN 14041:2004/AC:2006 section 4.2
4. Test location: Central Chemical Lab of Intertek Testing Services Ltd., Shanghai  
Address: Block B, Jinling Business Square, No.801, Yi Shan Road, Shanghai, China

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

### Test Items, Method and Results:

Test Item: Phthalate content test

Test Method: With reference to EN 14372:2004, by Gas Chromatography-Mass Spectrometry (GC-MS) analysis.

Tested compound	Result (mg/kg)
Di-butyl phthalate (DBP)	ND
Di(2-ethyl hexyl) phthalate(DEHP)	ND
Benzyl butyl phthalate (BBP)	ND
Di-iso-nonyl phthalate (DINP)	ND
Di-n-octyl phthalate (DNOP)	ND
Di-iso-decyl phthalate (DIDP)	ND
Diisobutyl phthalate (DIBP)	ND
Di-n-pentyl phthalate(DnPP/DPENP)	ND
Dicyclohexyl phthalate (DCHP)	ND
Di-ethyl phthalate (DEP)	ND
Di-nonyl phthalate (DNP)	ND
Di-methyl phthalate (DMP)	ND
Di-propyl phthalate (DPrP)	ND
Di-(iso-octyl) phthalate (DIOP)	ND
Diphenyl phthalate (DPhP)	ND
Dibenzyl phthalate (DBzP)	ND

Note:

1. Detection limit = 100mg/kg
2. ND = Not detected(less than the detection limit)
3. Test location: Central Chemical Lab of Intertek Testing Services Ltd., Shanghai  
Address: Block B, Jinling Business Square, No.801, Yi Shan Road, Shanghai, China

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

### Test Items, Method and Results:

Test method: By a combination of Inductively Coupled Argon Plasma Spectrometry, Gas Chromatography – Mass Spectrometry, Liquid Chromatography - Mass Spectrometry, UV-VIS Spectrophotometer, Gas Chromatography - Electron Capture Detector, Headspace Gas Chromatography - Mass Spectrometry and High-Performance Liquid Chromatography.

201 SVHCs Testing Results:

(a) The First List (15 SVHC Released in Oct, 2008)

No.	Chemical Substance	CAS No.	Results %(w/w)
1	Cobalt Dichloride Δ	7646-79-9	ND
2	Diarsenic Pentaoxide Δ	1303-28-2	ND
3	Diarsenic Trioxide Δ	1327-53-3	ND
4	Lead Hydrogen Arsenate Δ	7784-40-9	ND
5	Triethyl Arsenate Δ	15606-95-8	ND
6	Sodium Dichromate Δ	7789-12-0, 10588-01-9	ND
7	Bis (Tributyltin) Oxide (TBTO) Δ	56-35-9	ND
8	Anthracene	120-12-7	ND
9	4,4'-Diaminodiphenylmethane (MDA)	101-77-9	ND
10	Hexabromocyclododecane (HBCDD) and All Major Diastereoisomers Identified (α-HBCDD, β-HBCDD, γ-HBCDD)	25637-99-4 and 3194-55-6 (134237-50-6, 134237-51-7, 134237-52-8, 25637-99-4)	ND
11	5-Tert-Butyl-2,4,6-Trinitro-m-Xylene (Musk Xylene)	81-15-2	ND
12	Bis (2-Ethylhexyl) Phthalate (DEHP)	117-81-7	ND
13	Dibutyl Phthalate (DBP)	84-74-2	ND
14	Benzyl Butyl Phthalate (BBP)	85-68-7	ND
15	Short Chain Chlorinated Paraffins (C <sub>10-13</sub> )	85535-84-8	ND

(b) The Second List (13 SVHC Released in Jan, 2010 and Mar, 2010)

No.	Chemical Substance	CAS No.	Results %(w/w)
16	Lead Chromate Δ	7758-97-6	ND
17	Lead Chromate Molybdate Sulphate Red (C.I. Pigment Red 104) Δ	12656-85-8	ND
18	Lead Sulfochromate Yellow (C.I. Pigment Yellow 34) Δ	1344-37-2	ND
19	Tris (2-Chloroethyl) Phosphate	115-96-8	ND
20	2,4-Dinitrotoluene	121-14-2	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

21	Diisobutyl Phthalate (DIBP)	84-69-5	ND
22	Coal Tar Pitch, High Temperature	65996-93-2	ND
23	Anthracene Oil	90640-80-5	ND
24	Anthracene Oil, Anthracene Paste, Distn. Lights	91995-17-4	ND
25	Anthracene Oil, Anthracene Paste, Anthracene Fraction	91995-15-2	ND
26	Anthracene Oil, Anthracene-low	90640-82-7	ND
27	Anthracene Oil, Anthracene Paste	90640-81-6	ND
28	Acrylamide	79-06-1	ND

(c) The Third List (8 SVHC Released in Jun, 2010)

No.	Chemical Substance	CAS No.	Results %(w/w)
29	Boric Acid Δ	10043-35-3, 11113-50-1	ND
30	Disodium Tetraborate, Anhydrous Δ	1330-43-4, 12179-04-3, 1303-96-4	ND
31	Tetraboron Disodium Heptaoxide, Hydrate Δ	12267-73-1	ND
32	Sodium Chromate Δ	7775-11-3	ND
33	Potassium Chromate Δ	7789-00-6	ND
34	Ammonium Dichromate Δ	7789-09-5	ND
35	Potassium Dichromate Δ	7778-50-9	ND
36	Trichloroethylene	79-01-6	ND

(d) The Fourth List (8 SVHC Released in Dec, 2010)

No.	Chemical Substance	CAS No.	Results %(w/w)
37	2-Methoxyethanol	109-86-4	ND
38	2-Ethoxyethanol	110-80-5	ND
39	Cobalt Sulphate Δ	10124-43-3	ND
40	Cobalt Dinitrate Δ	10141-05-6	ND
41	Cobalt Carbonate Δ	513-79-1	ND
42	Cobalt Diacetate Δ	71-48-7	ND
43	Chromium Trioxide Δ	1333-82-0	ND
44	Chromic Acid Δ Dichromic Acid Δ Oligomers of Chromic Acid and Dichromic Acid Δ	7738-94-5 13530-68-2 --	ND



## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

(e) The Fifth List (7 SVHC Released in Jun, 2011)

No.	Chemical Substance	CAS No.	Results %(w/w)
45	Strontium Chromate Δ	7789-06-2	ND
46	2-ethoxyethyl acetate (2-EEA)	111-15-9	ND
47	1,2-Benzenedicarboxylic acid, di-C <sub>7-11</sub> -branched and linear alkyl esters (DHNUP)	68515-42-4	ND
48	Hydrazine	7803-57-8, 302-01-2	ND
49	1-methyl-2-pyrrolidone	872-50-4	ND
50	1,2,3-trichloropropane	96-18-4	ND
51	1,2-Benzenedicarboxylic acid, di-C <sub>6-8</sub> -branched alkyl esters, C <sub>7</sub> -rich (DIHP)	71888-89-6	ND

(f) The Sixth List (20 SVHC Released in Dec, 2011)

No.	Chemical Substance	CAS No.	Results %(w/w)
52	Lead dipicrate Δ	6477-64-1	ND
53	Lead styphnate Δ	15245-44-0	ND
54	Lead azide; Lead diazide Δ	13424-46-9	ND
55	Phenolphthalein	77-09-8	ND
56	2,2'-dichloro-4,4'-methylenedianiline (MOCA)	101-14-4	ND
57	N,N-dimethylacetamide (DMAC)	127-19-5	ND
58	Trilead diarsenate Δ	3687-31-8	ND
59	Calcium arsenate Δ	7778-44-1	ND
60	Arsenic acid Δ	7778-39-4	ND
61	Bis(2-methoxyethyl) ether	111-96-6	ND
62	1,2-Dichloroethane	107-06-2	ND
63	4-(1,1,3,3-tetramethylbutyl)phenol, (4-tert-Octylphenol)	140-66-9	ND
64	2-Methoxyaniline; o-Anisidine	90-04-0	ND
65	Bis(2-methoxyethyl) phthalate (DMEP)	117-82-8	ND
66	Formaldehyde, oligomeric reaction products with aniline (technical MDA)	25214-70-4	ND
67	Pentazinc chromate octahydroxide Δ	49663-84-5	ND
68	Potassium hydroxyoctaoxodizincate di-chromate Δ	11103-86-9	ND
69	Dichromium tris(chromate) Δ	24613-89-6	ND
70	Aluminosilicate Refractory Ceramic Fibres Δ	(Index No. 650-017-00-8)	ND
71	Zirconia Aluminosilicate Refractory Ceramic Fibres Δ	(Index No. 650-017-00-8)	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

(g) The Seventh List (13 SVHC Released in Jun, 2012)

No.	Chemical Substance	CAS No.	Results %(w/w)
72	1,2-bis(2-methoxyethoxy)ethane (TEGDME; triglyme)	112-49-2	ND
73	1,2-dimethoxyethane; ethylene glycol dimethyl ether (EGDME)	110-71-4	ND
74	Diboron trioxide Δ	1303-86-2	ND
75	Formamide	75-12-7	ND
76	Lead(II) bis(methanesulfonate) Δ	17570-76-2	ND
77	TGIC (1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione)	2451-62-9	ND
78	β-TGIC (1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione)	59653-74-6	ND
79	4,4'-bis(dimethylamino)benzophenone (Michler's ketone)	90-94-8	ND
80	N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base)	101-61-1	ND
81	[4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	548-62-9	ND
82	[4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene]cyclohexa-2,5-dien-1-ylidene] dimethylammonium chloride (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	2580-56-5	ND
83	α,α-Bis[4-(dimethylamino)phenyl]-4(phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	6786-83-0	ND
84	4,4'-bis(dimethylamino)-4''-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)]	561-41-1	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

(h) The Eighth List (54 SVHC Released in Dec, 2012)

No.	Chemical Substance	CAS No.	Results %(w/w)
85	Bis(pentabromophenyl) ether (decabromodiphenyl ether; DecaBDE)	1163-19-5	ND
86	Pentacosafuorotridecanoic acid	72629-94-8	ND
87	Tricosafuorododecanoic acid	307-55-1	ND
88	Henicosafuoroundecanoic acid	2058-94-8	ND
89	Heptacosafuorotetradecanoic acid	376-06-7	ND
90	Diazene-1,2-dicarboxamide (C,C'-azodi(formamide))	123-77-3	ND
91	Cyclohexane-1,2-dicarboxylic anhydride [1] cis-cyclohexane-1,2-dicarboxylic anhydride [2] trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry].	85-42-7 13149-00-3 14166-21-3	ND
92	Hexahydromethylphthalic anhydride [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry]	25550-51-0 19438-60-9 48122-14-1 57110-29-9	ND
93	4-Nonylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	--	ND
94	4-(1,1,3,3-tetramethylbutyl)phenol, ethoxylated [covering well-defined substances and UVCB substances, polymers and homologues]	--	ND
95	Methoxyacetic acid	625-45-6	ND
96	N,N-dimethylformamide	68-12-2	ND
97	Dibutyltin dichloride (DBTC) Δ	683-18-1	ND
98	Lead monoxide (Lead oxide) Δ	1317-36-8	ND
99	Orange lead (Lead tetroxide) Δ	1314-41-6	ND
100	Lead bis(tetrafluoroborate) Δ	13814-96-5	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

101	Trilead bis(carbonate)dihydroxide Δ	1319-46-6	ND
102	Lead titanium trioxide Δ	12060-00-3	ND
103	Lead titanium zirconium oxide Δ	12626-81-2	ND
104	Silicic acid, lead salt Δ	11120-22-2	ND
105	Silicic acid (H <sub>2</sub> Si <sub>2</sub> O <sub>5</sub> ), barium salt (1:1), lead-doped Δ [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD); the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008]	68784-75-8	ND
106	1-bromopropane (n-propyl bromide)	106-94-5	ND
107	Methyloxirane (Propylene oxide)	75-56-9	ND
108	1,2-Benzenedicarboxylic acid, dipentylester, branched and linear	84777-06-0	ND
109	Diisopentylphthalate (DIPP)	605-50-5	ND
110	N-pentyl-isopentylphthalate	776297-69-9	ND
111	1,2-diethoxyethane	629-14-1	ND
112	Acetic acid, lead salt, basic Δ	51404-69-4	ND
113	Lead oxide sulfate Δ	12036-76-9	ND
114	[Phthalato(2-)] dioxotrilead Δ	69011-06-9	ND
115	Dioxobis(stearato)trilead Δ	12578-12-0	ND
116	Fatty acids, C16-18, lead salts Δ	91031-62-8	ND
117	Lead cyanamidate Δ	20837-86-9	ND
118	Lead dinitrate Δ	10099-74-8	ND
119	Pentalead tetraoxide sulphate Δ	12065-90-6	ND
120	Pyrochlore, antimony lead yellow Δ	8012-00-8	ND
121	Sulfurous acid, lead salt, dibasic Δ	62229-08-7	ND
122	Tetraethyllead Δ	78-00-2	ND
123	Tetralead trioxide sulphate Δ	12202-17-4	ND
124	Trilead dioxide phosphonate Δ	12141-20-7	ND
125	Furan	110-00-9	ND
126	Diethyl sulphate	64-67-5	ND
127	Dimethyl sulphate	77-78-1	ND
128	3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine	143860-04-2	ND
129	Dinoseb (6-sec-butyl-2,4-dinitrophenol)	88-85-7	ND
130	4,4'-methylenedi-o-toluidine	838-88-0	ND
131	4,4'-oxydianiline and its salts	101-80-4	ND
132	4-aminoazobenzene	60-09-3	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

133	4-methyl-m-phenylenediamine (toluene-2,4-diamine)	95-80-7	ND
134	6-methoxy-m-toluidine (p-cresidine)	120-71-8	ND
135	Biphenyl-4-ylamine	92-67-1	ND
136	o-aminoazotoluene [(4-o-tolylazo-o-toluidine)]	97-56-3	ND
137	o-toluidine	95-53-4	ND
138	N-methylacetamide	79-16-3	ND

(i) The Ninth List (6 SVHC Released in Jun, 2013)

No.	Chemical Substance	CAS No.	Results %(w/w)
139	Cadmium $\Delta$	7440-43-9	ND
140	Cadmium oxide $\Delta$	1306-19-0	ND
141	Dipentyl phthalate (DPP)	131-18-0	ND
142	4-Nonylphenol, branched and linear, ethoxylated [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof]	--	ND
143	Ammonium pentadecafluorooctanoate (APFO)	3825-26-1	ND
144	Pentadecafluorooctanoic acid (PFOA)	335-67-1	ND

(j) The Tenth List (7 SVHC Released in Dec, 2013)

No.	Chemical Substance	CAS No.	Results %(w/w)
145	Cadmium sulphide $\Delta$	1306-23-6	ND
146	Lead di(acetate) $\Delta$	301-04-2	ND
147	Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38)	1937-37-7	ND
148	Disodium 3,3'-[[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28)	573-58-0	ND
149	Dihexyl phthalate	84-75-3	ND
150	Imidazolidine-2-thione; (2-imidazoline-2-thiol)	96-45-7	ND
151	Trixylyl phosphate	25155-23-1	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

(k) The Eleventh List (4 SVHC Released in Jun, 2014)

No.	Chemical Substance	CAS No.	Results %(w/w)
152	1,2-Benzenedicarboxylic acid, dihexyl ester, branched and linear	68515-50-4	ND
153	Cadmium chloride Δ	10108-64-2	ND
154	Sodium perborate; perboric acid, sodium salt Δ	15120-21-5, 11138-47-9	ND
155	Sodium peroxometaborate Δ	7632-04-4	ND

(l) The Twelfth List (6 SVHC Released in December, 2014)

No.	Chemical Substance	CAS No.	Results %(w/w)
156	2-(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328)	25973-55-1	ND
157	2-benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320)	3846-71-7	ND
158	2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE)	15571-58-1	ND
159	Cadmium fluoride Δ	7790-79-6	ND
160	Cadmium sulphate Δ	10124-36-4; 31119-53-6	ND
161	Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE)	--	ND

(m) The Thirteenth List (2 SVHC Released in June, 2015)

No.	Chemical Substance	CAS No.	Results %(w/w)
162	1,2-Benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate (EC No. 201-559-5)	68515-51-5; 68648-93-1	ND
163	5-Sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-Sec-butyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any of the individual isomers of [1] and [2] or any combination thereof]	--	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

(n) The Fourteenth List (5 SVHC Released in December, 2015)

No.	Chemical Substance	CAS No.	Results %(w/w)
164	1,3-Propanesultone	1120-71-4	ND
165	2,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl) phenol (UV-327)	3864-99-1	ND
166	2-(2H-Benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350)	36437-37-3	ND
167	Nitrobenzene	98-95-3	ND
168	Perfluorononan-1-oic-acid and its sodium and ammonium salts	375-95-1; 21049-39-8; 4149-60-4	ND

(o) The Fifteenth List (1 SVHC Released in June, 2016)

No.	Chemical Substance	CAS No.	Results %(w/w)
169	Benzo[def]chrysene (Benzo[a]pyrene)	50-32-8	ND

(p) The Sixteenth List (4 SVHC Released in January, 2017)

No.	Chemical Substance	CAS No.	Results %(w/w)
170	4,4'-isopropylidenediphenol (bisphenol A)	80-05-7	ND
171	Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts Nonadecafluorodecanoic acid EC no.: 206-400-3   CAS no.: 335-76-2 Ammonium nonadecafluorodecanoate EC no.: 221-470-5   CAS no.: 3108-42-7 Decanoic acid, nonadecafluoro-, sodium salt EC no.: --   CAS no.: 3830-45-3	--	ND
172	4-Heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof]	--	ND
173	p-(1,1-dimethylpropyl)phenol	80-46-6	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

(q) The Seventeenth List (1 SVHC Released in July, 2017)

No.	Chemical Substance	CAS No.	Results %(w/w)
174	Perfluorohexane-1-sulphonic acid and its salt (PFHxS)	--	ND

(r) The Eighteenth List (7 SVHC Released in Jan, 2018)

No.	Chemical Substance	CAS No.	Results %(w/w)
175	Benz[a]anthracene	56-55-3	ND
176	Cadmium nitrate $\Delta$	10325-94-7	ND
177	Cadmium carbonate $\Delta$	513-78-0	ND
178	Cadmium hydroxide $\Delta$	21041-95-2	ND
179	Chrysene	218-01-9	ND
180	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering any of its individual anti- and syn-isomers or any combination thereof]	--	ND
181	Reaction products of 1,3,4-thiadiazolidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear (RP-HP) [with $\geq 0.1\%$ w/w 4-heptylphenol, branched and linear]	--	ND

(s) The Nineteenth List (10 SVHC Released in Jun, 2018)

No.	Chemical Substance	CAS No.	Results %(w/w)
182	Octamethylcyclotetrasiloxane (D4)	556-67-2	ND
183	Decamethylcyclopentasiloxane (D5)	541-02-6	ND
184	Dodecamethylcyclohexasiloxane (D6)	540-97-6	ND
185	Lead	7439-92-1	ND
186	Disodium octaborate $\Delta$	12008-41-2	ND
187	Benzo[ghi]perylene	191-24-2	ND
188	Terphenyl hydrogenated	61788-32-7	ND
189	Ethylenediamine (EDA)	107-15-3	ND
190	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride (Trimellitic anhydride) (TMA)	552-30-7	ND
191	Dicyclohexyl phthalate (DCHP)	84-61-7	ND



## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

(t) The Twentieth List (6 SVHC Released in Jan, 2019)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
192	2,2-bis(4'-hydroxyphenyl)-4-methylpentane	6807-17-6	ND
193	Benzo[k]fluoranthene	207-08-9	ND
194	Fluoranthene	206-44-0	ND
195	Phenanthrene	85-01-8	ND
196	Pyrene	129-00-0	ND
197	1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one (3-benzylidene camphor)	15087-24-8	ND

(u) The Twenty-first List (4 SVHC Released in July, 2019)

No.	<u>Chemical Substance</u>	<u>CAS No.</u>	<u>Results %(w/w)</u>
198	4-tert-butylphenol (PTBP)	98-54-4	ND
199	2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof)	--	ND
200	2-methoxyethyl acetate	110-49-6	ND
201	Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with $\geq 0.1\%$ w/w of 4-nonylphenol, branched and linear (4-NP)	--	ND

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

Reporting limit = 0.050% (whole product)

SVHC = Substance of very high concern

ND = Not detected (the result is less than the reporting limit)

Reporting limit = Quantitation limit of analyte in sample

Δ = Determination was based on elemental analysis. The content was calculated based on assumption of worst-Case  
As applicant's requirement, materials were screened in composite testing.

Notes:

1. Test location: Central Chemical Lab of Intertek Testing Services Ltd., Shanghai.  
Address: Block B, Jinling Business Square, No.801, Yi Shan Road, Shanghai, China
2. Substances of very high concern (SVHC) are classified as:
  - a. Carcinogenic, mutagenic or toxic to reproduction category 1 (proven on humans) and category 2 (proven on animals)
  - b. Persistent, bioaccumulative and toxic chemicals (PBT)
  - c. Very persistent and very bioaccumulative chemicals (vPvB)
  - d. Other similar substances such as endocrine disrupters
3. If the imported or manufactured volume of each individual SVHC in article is more than 0.1% (w/w) and if it exceeds 1 tonne per year across all product ranges, then importer or manufacturer require notification to the European Chemical Agency (ECHA). For substances included in the Candidate List on or after 1 December 2010, the notifications have to be submitted no later than 6 months after the inclusion. The following information has to be submitted for notification:
  - a. Identification of the registrant and the substance
  - b. Classification and labelling of the substance
  - c. Description of use of the substance and the article
  - d. Registration number, if available
  - e. Tonnage range
4. As per article 31 of regulation (EC) No. 1907/2006 (REACH), suppliers of mixtures not classified as dangerous according to directive 1999/45/EC have to provide the recipients, at their request, with a safety data sheet if the mixtures contain at least one substance on the SVHC candidate list and its individual concentration is 0.1%(w/w) or above for non-gaseous preparations.

REACH requirement:

As per article 33(1) of regulation (EC) No. 1907/2006 (REACH), recipients of product must be provided with information of safe use if any of the tested substances (SVHC) exceeded 0.1% (w/w). A product meets the requirement of article 33(1) by default when no SVHC exceeds 0.1% (w/w).

Conclusion:


Tested Samples	Standard	Result
Submitted sample	EU REACH Regulation No 1907/2006 Article 33(1) Obligation to provide information of safe use (see REACH requirement in report for details)	Meet Requirement

## Test Report

Issue Date: 2019-08-23

Intertek Report No. 190801008SHF-001

### Appendix A: Sample Received Photo



### Revision:

NO.	Date	Changes	Author	Reviewer
190801008SHF-001	2019-08-23	First issue	Milo Liu	Flora Fan

# Anhui Sentai WPC TEC Flooring Co., Ltd.

## TEST REPORT

**SCOPE OF WORK**

SPC Flooring/rigid vinyl plank

**REPORT NUMBER**

190801008SHF-004

**TEST DATE(S)**

2019-08-01 - 2019-09-03

**ISSUE DATE**

2019-09-03


**PAGES**

8

**DOCUMENT CONTROL NUMBER**

LFT-APAC-SHF-OP-10k(May 1, 2019)

© 2019 INTERTEK



## Test Report

### Statement

- 1.This report is invalid without company's special seal for testing on assigned page.
- 2.This report is invalid without authorized person's signature.
- 3.This report is invalid where any unauthorized modification indicated.
- 4.Don't copy this report in partial (except full copy) without any official approval in written by our company. This report is invalid without re-stamping the special seal for testing in copying report.
- 5.Any holder of this document is advised that this report is for the exclusive use of Intertek's Customer and is provided pursuant to the agreement between Intertek and its Customer. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. This report was made with due care within the limitation of a defined scope of work and on the basis of information, materials and instructions received from the Customer or its nominated third parties. Intertek is under no obligation to refer to or report upon any facts or circumstances which are outside the specific instructions received and accepts no responsibility to any parties whatsoever, following the issue of the report, for any matters arising outside the agreed scope of the works. The tests results are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results.
- 6.Intertek's written consent is required to use Intertek's name or logo on the object, product or service being tested. The observations and test results in this report relate only to the sample under test. This report alone does not indicate that the item, product or service has passed any Intertek certification program.



## Test Report

Issue Date: 2019-09-03

Intertek Report No. 190801008SHF-004

**Test Items, Method and Results:**

Test Item: Volatile organic compounds content analysis

Test Method: With reference to

ISO 16000-3:2011 Indoor air - Part 3: Determination of formaldehyde and other carbonyl compounds in indoor air and test chamber air - Active sampling method;

ISO 16000-6:2011 Indoor air - Part 6: Determination of volatile organic compounds in indoor and test chamber air by active sampling on Tenax TA® sorbent, thermal desorption and gas chromatography using MS or MS/FID;

ISO 16000-9:2006 Indoor air - Part 9: Determination of the emission of volatile organic compounds from building products and furnishing - Emission test chamber method;

ISO 16000-11:2006 Indoor air - Part 11: Determination of the emission of volatile organic compounds from building products and furnishing - Sampling, storage of samples and preparation of test specimens.

Test Procedure:

The sample was tested in the emission test chamber. After 7 days, chamber air samples were collected. Samples analyzed for individual VOCs and TVOC were collected on sorbent tubes Tenax TA, and were detected by Automatic Thermal Desorption-Gas Chromatography/Mass Spectrometric (ATD-GC/MS). Samples analyzed for aldehydes were collected on DNPH cartridge, and were detected by High Performance Liquid Chromatography-Diode-Array Detector (HPLC-DAD).

Test condition:

Chamber type: 1.0 m<sup>3</sup> stainless steel chamber

Climatic conditions: 23°C, 50% R.H

Air exchange: 0.5 h<sup>-1</sup>Loading factor: 0.4 m<sup>2</sup>/m<sup>3</sup>

Sampling: Tenax TA &amp; DNPH cartridge

# Test Report

Issue Date: 2019-09-03

Intertek Report No. 190801008SHF-004

Test result:

## 1. Volatile Organic Compounds (VOC) Emission

The emission of the substances was classified according to a scale with 4 classes of Exposure Concentrations ranging from A<sup>+</sup> to C. A<sup>+</sup> indicating a very low emission level and C is a high level emission. The results of the tested sample after 7 days are shown in Table 1.

Table 1 Results of VOC Emission of target chemicals after 7 days

Testing compound	CAS No.	Limit values of emission classes <sup>(1)</sup> ( $\mu\text{g}/\text{m}^3$ )				Chamber concentration ( $\mu\text{g}/\text{m}^3$ )	Predicted concentration ( $\mu\text{g}/\text{m}^3$ ) <sup>(2)</sup>	Emission classes
		A <sup>+</sup>	A	B	C			
Formaldehyde# <sup>(3)</sup>	50-00-0	<10	<60	<120	>120	ND <sup>(4)</sup>	< 5 <sup>(5)</sup>	A <sup>+</sup>
Acetaldehyde# <sup>(3)</sup>	75-07-0	<200	<300	<400	>400	ND <sup>(4)</sup>	< 5 <sup>(5)</sup>	A <sup>+</sup>
Toluene	108-88-3	<300	<450	<600	>600	ND <sup>(4)</sup>	< 2 <sup>(5)</sup>	A <sup>+</sup>
Tetrachloroethylene	127-18-4	<250	<350	<500	>500	ND <sup>(4)</sup>	< 2 <sup>(5)</sup>	A <sup>+</sup>
Xylene	1330-20-7	<200	<300	<400	>400	ND <sup>(4)</sup>	< 2 <sup>(5)</sup>	A <sup>+</sup>
1,2,4-trimethylbenzene	95-63-6	<1000	<1500	<2000	>2000	ND <sup>(4)</sup>	< 2 <sup>(5)</sup>	A <sup>+</sup>
1,4-dichlorobenzene	106-46-7	<60	<90	<120	>120	ND <sup>(4)</sup>	< 2 <sup>(5)</sup>	A <sup>+</sup>
Ethylbenzene	100-41-4	<750	<1000	<1500	>1500	ND <sup>(4)</sup>	< 2 <sup>(5)</sup>	A <sup>+</sup>
2-butoxyethanol	111-76-2	<1000	<1500	<2000	>2000	ND <sup>(4)</sup>	< 2 <sup>(5)</sup>	A <sup>+</sup>
Styrene	100-42-5	<250	<350	<500	>500	ND <sup>(4)</sup>	< 2 <sup>(5)</sup>	A <sup>+</sup>
TVOC* <sup>(3)</sup>	—	<1000	<1500	<2000	>2000	ND <sup>(4)</sup>	< 20 <sup>(5)</sup>	A <sup>+</sup>

Note:

(1) Limited values were specified by French VOC labelling regulation.

(2) Predicted concentration was calculated from the emission rate obtained from chamber concentration by model room (volume 30 m<sup>3</sup>, floor surface area 12 m<sup>2</sup>, air exchange rate 0.5 h<sup>-1</sup>).

(3) # = indicates aldehydes identified and quantified by DNPH derivatization and HPLC/DAD analysis.

\* = TVOC means sum of the concentrations of all identified and unidentified VOCs between and including n-hexane through n-Hexadecane (i.e., C<sub>6</sub>-C<sub>16</sub>) as measured by the GC/MS TIC method and expressed as a toluene equivalent value.

(4) Detection limit of chamber concentration:

for # aldehydes = 5  $\mu\text{g}/\text{m}^3$ ; for other individual compound = 2  $\mu\text{g}/\text{m}^3$ ; for TVOC = 20  $\mu\text{g}/\text{m}^3$

ND = Not detected

(5) Reporting limit of predicted concentration:

for # aldehydes = 5  $\mu\text{g}/\text{m}^3$ ; for other individual compound = 2  $\mu\text{g}/\text{m}^3$ ; for TVOC = 20  $\mu\text{g}/\text{m}^3$



## Test Report

Issue Date: 2019-09-03

Intertek Report No. 190801008SHF-004

Test photo:



## Test Report

Issue Date: 2019-09-03

Intertek Report No. 190801008SHF-004

### APPENDIX: French VOC emission class labelling



**\* Information sur le niveau d'émission de substances volatiles dans l'air intérieur, présentant un risque de toxicité par inhalation, sur une échelle de classe allant de A+ (très faibles émissions) à C (fortes émissions)**



Above labelling is for reference only

## Test Report

Issue Date: 2019-09-03

Intertek Report No. 190801008SHF-004

### Appendix A: Sample Received Photo



### Revision:

NO.	Date	Changes	Author	Reviewer
190801008SHF-004	2019-09-03	First issue	Milo Liu	Flora Fan



## Disclaimer and copyright

### Document disclaimer

The provided information is offered in good faith as accurate but without guarantee. Eva-Last makes no warranties or representations of any kind (express or implied) about the accuracy, adequacy, currency, or completeness of the information, or that it is necessarily suitable for the intended use.

Compliance with this document does not guarantee immunity from breach of any statutory requirements, building codes or relevant standards. The final responsibility for the correct design and specification rests with the designer and, for its satisfactory execution, with the contractor. Appropriate warnings and safe handling procedures should be provided to handlers and users.

While most data have been compiled from research, case histories, experience and testing, small changes in the environment can produce marked differences in performance. The decision to use a material, and in what manner, is made at your own risk. The use of a material and method may therefore need to be modified to its intended end use and environment.

Eva-Last, its directors, officers or employees shall not be responsible for any direct, indirect, or special loss or damage arising from, or as a consequence of, use of, or reliance upon, any information contained in this document or other documents referenced herein. Eva-Last expressly disclaims any liability which is based on or arises out of, the information or any errors, omissions, or misstatements herein.

### Drawing disclaimer

All dimensions and specifications are offered in good faith as accurate but without guarantee. The information captured herein may not contain complete details. Eva-Last makes no warranties or representations of any kind (express or implied) about the accuracy, adequacy, currency, or completeness of the information, or that it is necessarily suitable for the intended use.

Compliance with this document does not guarantee immunity from breach of any statutory requirements, building codes or relevant standards. The final responsibility for the correct design and specification rests with the designer and, for its satisfactory execution, with the contractor.

### Utilisation disclaimer

Legislation may differ between jurisdictions. Before installing any Eva-Last product, ensure that the application is rational and complies with the local regulations and building codes. Wherever necessary, consult a suitably qualified professional. Be sure to comply with material manufacturer specifications. Where manufacturers and building codes differ, revert to the building code requirements. Check that your choice of product is suitable for its intended application. For further product specification and information visit [www.eva-last.com](http://www.eva-last.com).

### Copyright

If reprinted or reproduced or utilised in any form Eva-Last should be acknowledged as the source of the information. Eva-Last periodically updates the information contained in this document as well as that of the Eva Last documents that have been referenced herein. Before using this document, please refer to the Eva-Last website ([www.eva-last.com](http://www.eva-last.com)) for the most up-to-date documents.

### Contact information

Eva-Last  
Room 1203, 12/F Tower 333 Canton  
Road, Tsimshatsui, Hong Kong, China

**Email:** [info@eva-last.com](mailto:info@eva-last.com)

**Website:** [www.eva-last.com](http://www.eva-last.com)